



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/828,917	04/21/2004	Kuo Chuan Wu	BA-22882	5641

7590 03/02/2007  
BUCKNAM AND ARCHER  
1077 Northern Boulevard  
Roslyn, NY 11576-1696

EXAMINER
----------

UNELUS, ERNEST

ART UNIT	PAPER NUMBER
----------	--------------

2181

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/02/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

**Office Action Summary**

Application No.

10/828,917

Applicant(s)

WU ET AL.

Examiner

Ernest Unelus

Art Unit

2181

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 13 December 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 3-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 3-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some    \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

**DETAILED ACTION**

**RESPONSE TO AMENDMENT**

**Claim rejections based on prior art**

Applicant's arguments filed 12/13/2006 have been fully considered but they are not persuasive.

The applicant argues, as discloses in the applicant's remark "it is bus switch 5 of the present invention which determines whether the personal computer is in the power-on status or not". This statement above is different from the claimed language. The claimed language stated a power-on detector. The claim discloses the 'bus switch' to release power between an adapter and the power from the external PC. Similarly, Jae-Sung, the cited reference, discloses the control circuit 38, functioning as the bus switch, as stated in paragraph 0045 "At this time, a control circuit 38 functions to block the supply of power from the adapter 36, thereby causing all components in the computer to be supplied with power from the main power supply 35". The claim doesn't clearly disclose the bus switch doing the detection, as the applicant argued.

Further more, in respect to the applicant's argument in regards to the disc player 2 and the CPU 4 being independent, the applicant is correct. Previously, the examiner has interpreted the microprocessor as the CPU4. The examiner is now interpreting the disc player's signal processor as the microprocessor, as it should have been stated. Therefore, the examiner has applied a second office action on the case.

The examiners has also acknowledged and agree of the new title of the invention.

The applicant has canceled claims 1 and 2.

**I. INFORMATION CONCERNING OATH/DECLARATION**

**Oath/Declaration**

1. The applicant's oath/declaration has been reviewed by the examiner and is found to conform to the requirements prescribed in 37 C.F.R. 1.63.

**II. STATUS OF CLAIM FOR PRIORITY IN THE APPLICATION**

As required by M.P.E.P. 201.14(c), acknowledgement is made of applicant's claim for priority based on applications filed on December 04, 2003 (Taiwan 092134254).

**III. INFORMATION CONCERNING DRAWINGS**

**Drawings**

2. The applicant's drawings submitted are acceptable for examination purposes.

**IV. ACKNOWLEDGEMENT OF REFERENCES CITED BY APPLICANT**

3. As required by M.P.E.P. 609(C), the applicant's submissions of the Information Disclosure Statements dated February 10, 2006 is acknowledged by the examiner and the cited references have been considered in the examination of the claims now pending. As required by M.P.E.P 609 C(2), a copy of the PTOL-1449 initialed and dated by the examiner is attached to the instant office action.

**V. REJECTIONS BASED ON PRIOR ART**

**Claim Rejections - 35 USC § 103**

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claims 3-13, 15, and 16** are rejected under 35 U.S.C. 103(a) as being unpatentable over Jae-Sung (EP 1117030) in view of Beckert et al. (US pat. 5,794,164).

6. As per **claim 16**, according to "An optical storage drive device for multimedia audio/video system having a CD driver, a picture viewer, a DVD driver, a digital video recorder (DVR), a FM radio and a MP3 music CD monolithically integrated in a single device", **this preamble is intended use.**

Jae-Sung discloses an optical storage drive device (**disc player 2 of fig. 1**) comprising; a video/audio input/output selector for inputting video/audio signals and for /outputting video/audio signals to an external device (**the personal computer 66 of fig. 5**) (see paragraph 0025, which discloses "An output analog audio signal from the disc player 2 is transferred to an audio signal reproduction circuitry (typically referred to as a "sound card") 6 via a compact disc-read only memory (CD-ROM) interface. In the present embodiment, the audio signal reproduction circuitry 6 includes an auxiliary input terminal AUX,

Art Unit: 2181

input/output (1/0) ports and a microphone input terminal Mic and is also connected to the CPU 4 of the computer via the data bus. The audio signal reproduction circuitry 6 is adapted to process external audio associated data to reproduce and output an audio signal in a desired form"); a video/audio encoder/decoder for encoding input video/audio signal before storing and for decoding stored video/audio signal before outputting to said external device through said video/audio input/output selector (see paragraph 0038, which discloses "As stated previously, the disc player 2 may further include a decoder and encoder for decoding and encoding an MPEG file, respectively. By means of this construction, a real-time input audio signal can be compressed and stored in the form of an MPEG file, and MPEG audio data from the CPU can be decoded, amplified and reproduced through the speaker. The compressed and stored file may be transmitted to an external system over a data communication network."); a microprocessor for controlling the operation of said optical data storage drive device in accordance with a key-in or pre-stored instruction and the read/write of the BIOS data of an external personal computer (see paragraph 0019, which discloses the disc player 2 having a processor. See also paragraph 0051, which discloses an operational panel 42 with buttons for the operation of the disc player); an optical storage device (hard disc 2 in fig. 1), for reading/writing the encoded video/audio signal and data signal from said microprocessor through a bus switch (see paragraph 0039. Paragraph 0039 also discloses the user downloading data, which obviously uses a bus switch, such as power switch 50 describes in paragraph 0051); a status display (display 28) for displaying the operation status of said personal computer and said optical data storage device (see paragraph 0048) and controlled by a display controller connected to said microprocessor (see paragraph 0048, which

discloses "The operating panel 42 and display (preferably, VFD) 28 are installed in the front part of the multimedia device, thereby allowing the user to conveniently control the device and view the operating state of the device". See also paragraph 0031, which discloses "A display 28, which may preferably be a vacuum fluorescent display (VFD), is adapted to provide a visual indication of the operating state of the multimedia device to the user under the control of a VFD driver 29 connected to the microcomputer 22"); a power amplifier (power amplifier 18), connected to said video/audio encoder/decoder for amplifying said input signal and decoded output audio signal (see paragraph 0028); and a speaker (speaker 10), connected to said power amplifier for outputting said amplified audio signal (see fig. 2). a power-on detector (A detection port 37 of fig. 3. See paragraph 0045, which discloses, "A detection port 37 is connected to the multimedia device to check voltage (for example, 0 volt) when the multimedia device is not in operation and make a power control terminal 39 active in accordance with the checked result") connected to a power supply of said external personal computer (computer power 35 of fig. 3) and said microprocessor (processor of the disc drive, which is connected in the body of the multi-media device), the power-on detector detects the power-on status of said external personal computer and signals said microprocessor to control said bus switch (control circuit 38, as describe in paragraph 0045) to release the standard interface (the supply of power from the adapter 36) between said external personal computer and said optical data storage drive device so as to operate without the power supply of said external personal computer when the external personal computer is off (see paragraph 0016, discloses "Preferably, the multimedia device may further comprise an adapter for supplying power to the multimedia device separately from a main power supply of the

Art Unit: 2181

**personal computer, whereby the user can appreciate the compact disc using the operation means without booting the personal computer". See also paragraph 0043, which discloses the device being using the adapter to play CD), whereas when said external computer power-on status is detected (the detection by detection port 37, as describe in paragraph 0045), said microprocessor controls said bus switch to resume the function of said standard interface so as to operate said optical data storage drive device through the power supply of said external personal computer (see paragraph 0045, which also discloses "At this time, a control circuit 38 functions to block the supply of power from the adapter 36, thereby causing all components in the computer to be supplied with power from the main power supply 35. The current control means shown in Fig. 3 may preferably include a DC-DC converter for, when the computer is powered on, supplying 12V DC power from the main power supply 35 to the multimedia device and blocking the supply of power from the adapter 36").**

Jae-Sung fails to specifically disclose "a memory card reader, for reading/writing the encoded video/audio signal and data from said microprocessor through said bus switch connected to said microprocessor".

Beckert discloses "a memory card reader (**smart card reader 42 in fig. 3**), for reading/writing the encoded video/audio signal and data from said microprocessor through said bus switch connected to said microprocessor" (**see fig. 3**).

Jae-Sung (EP 1117030) and Beckert et al. (US pat. 5,794,164) are analogous art because they are from the same field of endeavor of multimedia computer device.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the multimedia device for a personal computer comprising a disc player



Art Unit: 2181

connected to a central processing unit of the personal computer and adapted to play back compact disc as described by Jae-Sung and a vehicle computer system has a housing sized to be mounted in a vehicle dashboard or other appropriate location as taught by Beckert.

The motivation for doing so would have been because Beckert teaches (**"The computer 22 includes at least one storage drive which permits the vehicle user to download programs and data from storage medium"**)

Therefore, it would have been obvious to combine Beckert et al. (US pat. 5,794,164) and Jae-Sung (EP 1117030) for the benefit of creating a multimedia computer device for to obtain the invention as specified in claim 1.

7. As per **claim 3**, the combination of Jae-Sung and Beckert disclose "Wherein said optical storage driving device is of stand-alone type [**with respect to this limitation, see Jae-Sung, paragraph 0016**].

8. As per **claim 4**, the combination of Jae-Sung and Beckert disclose "wherein said optical storage driving device is of portable type" [**with respect to this limitation, see Jae-Sung, paragraph 0010**].

9. As per **claim 5**, the combination of Jae-Sung and Beckert disclose "wherein said optical storage driving device can be built-in to a personal computer or externally connected thereto" [**with respect to this limitation, see Jae-Sung, paragraph 0012**].

10. As per **claim 6**, the combination of Jae-Sung and Beckert disclose “wherein said built-in/external device can be a video/audio signal providing device and a video/audio signal player including television, projector, plasma display panel, liquid crystal display and monitor of a personal computer” **[with respect to this limitation, see Jae-Sung, paragraph 0010].**

11. As per **claim 7**, the combination of Jae-Sung and Beckert disclose “wherein said optical storage device including {one of } CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-R, DVD-RW, DVD+R, DVD+RW and DVD-RAM servers” **[with respect to this limitation, see Jae-Sung, paragraph 0019].**

12. As per **claim 8**, the combination of Jae-Sung and Beckert disclose “wherein said status display includes one of vacuum fluorescent display (VFD) and liquid crystal display (LCD)” **[with respect to this limitation, see Jae-Sung, fig. 2].**

13. As per **claim 9**, the combination of Jae-Sung and Beckert disclose “wherein said display is used to display the mode selection, adjustment controlling, and status indicator of said functions” **[with respect to this limitation, see Jae-Sung, paragraph 0048, which discloses “The operating panel 42 and display (preferably, VFD) 28 are installed in the front part of the multimedia device, thereby allowing the user to conveniently control the device and view the operating state of the device”. see also paragraph 0049].**

14. As per claims 10 and 11, the combination of Jae-Sung and Beckert disclose “wherein said personal computer includes one of a desktop computer, notebook computer, tablet computer and Macintosh computer” **[with respect to this limitation, see Jae-Sung, fig. 5].**

15. As per claim 12, the combination of Jae-Sung and Beckert disclose “wherein said standard interface can be one of the ATAPI-IDE, the serial ATA or SCSI, the USB 1.1/2.0 built-in or externally connected to a personal computer and a IEEE 1394 standard interface” **[with respect to this limitation, see Jae-Sung, fig. 5].**

16. As per claim 13, the combination of Jae-Sung and Beckert disclose “wherein said power-on detector is used to detect the voltage on the power supply unit of a personal computer or to detect the computer host reset signal (HRST) on the connecting bus between said personal computer and said panel controller so as to confirm the on status of the power supply” **[with respect to this limitation, see Jae-Sung, paragraph 0045, which discloses “A detection port 37 is connected to the multimedia device to check voltage (for example, 0 volt) when the multimedia device is not in operation and make a power control terminal 39 active in accordance with the checked result. At this time, a control circuit 38 functions to block the supply of power from the adapter 36, thereby causing all components in the computer to be supplied with power from the main power supply 35. The current control means shown in Fig. 3 may preferably include a DC-DC converter for, when the computer is powered on, supplying 12V DC power from the main power supply 35 to the multimedia device and blocking the supply of power from the adapter 36”].**

17. As per **claim 15**, the combination of Jae-Sung and Beckert disclose “wherein said optical storage driving device is powered by DC or AC power supply” **[with respect to this limitation, see Jae-Sung, paragraph 0045]**.

18. **Claims 14** is rejected under 35 U.S.C. 103(a) as being unpatentable over Jae-Sung (EP 1117030) and Beckert et al. (US pat. 5,794,164) as applied to claim 16 above, and further in view of Kovacevic (US 2002/0126703).

19. As per **claim 14**, Jae-Sung and Beckert disclose “The optical storage driving device as set forth in claim 1,” **[See rejection to claim 1 above]**, including a connecting device equipped with a power connector, a CD analogue audio output connector (see, **Beckert, fig. 4**), while said connecting device has a dominating bus and an input/output bus so as to increase the expandability of said optical storage driving device (see, **Beckert, fig. 4, which discloses the vehicle battery having 10-16volts compare to the power supply being only 12, that’s the reason why the vehicle battery bus will dominate over an input/output bus so as to increase the expandability of said optical storage driving device. See col. 6, lines 3-18**), but fail to specifically disclose a Sony-Phillips digital interface (SPDIF) output connector,.

Kovacevic discloses a Sony-Phillips digital interface (SPDIF) output connector (see **paragraph 0018**).

Jae-Sung (EP 1117030), Beckert et al. (US pat. 5,794,164), and Kovacevic (US 2002/0126703) are analogous art because they are from the same field of endeavor of multimedia computer device.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the multimedia device for a personal computer comprising a disc player connected to a central processing unit of the personal computer as described by Jae-Sung and Beckert and a method of synchronizing the output of processed audio data to the output of processed video data as taught by Kovacevic.

The motivation for doing so would have been because Kovacevic teaches a Sony-Phillips digital interface (SPDIF) output connector help with conversion (**see paragraph 0018**)

Therefore, it would have been obvious to combine Kovacevic (US 2002/0126703) and Beckert et al. (US pat. 5,794,164) with Jae-Sung (EP 1117030) for the benefit of creating a multimedia computer device for to obtain the invention as specified in claim 14.

## **VI. RELEVANT ART CITED BY THE EXAMINER**

20. The following prior art made of record and not relied upon is cited to establish the level of skill in the applicant's art and those arts considered reasonably pertinent to applicant's disclosure. See **MPEP 707.05(c)**.

21. The following reference teaches a multi-functional optical disk driving device.

### **U.S. PATENT NUMBER**

US 2006/0101175

US 2004/0186935

Art Unit: 2181

US 6,675,233

US 6,356,968

## **VII. CLOSING COMMENTS**

### **Conclusion**

#### **a. STATUS OF CLAIMS IN THE APPLICATION**

31. The following is a summary of the treatment and status of all claims in the application as recommended by M.P.E.P. 707.07(i):

##### **a(1) CLAIMS REJECTED IN THE APPLICATION**

32. Per the instant office action, claims 3-16 have received a second action on the merits and are subject of a second action non-final.

#### **b. DIRECTION OF FUTURE CORRESPONDENCES**

33. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ernest Unelus whose telephone number is (571) 272-8596. The examiner can normally be reached on Monday to Friday 9:00 AM to 5:00 PM.

### **IMPORTANT NOTE**


If attempts to reach the above noted Examiner by telephone is unsuccessful, the Examiner's supervisor, Mr. Donald Sparks, can be reached at the following telephone number: Area Code (571) 272-4201.

Art Unit: 2181

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free):

February 27, 2007

Ernest Unelus  
Examiner  
Art Unit 2181

A handwritten signature in black ink, appearing to read "Donald Sparks", is written over a circular stamp.

**DONALD SPARKS**  
**SUPERVISORY PATENT EXAMINER**